ORDER NO. PAES 980759C6

Service Manual

Speaker System

SB-M01

Hi-Fi Speaker System

Colour

(M) . . . . . .Wood Grain Type



■ SPECIFICATIONS

Type	2 way ,2 speaker system
Speaker	Woofer: 8 cm cone type
	Tweeter: 2,5 cm dome type
Impedance	6 Ω
Input power	100 W (MUSIC)
	50 W(DIN)
Output sound pressure level	79 dB/W (1.0 m)
Cross over frequency	2,5 kHz
Frequency range	58Hz - 40kHz (-16 dB)
	68Hz - 36kHz (-10 dB)
Dimensions	136 x 223,5 x 213 mm.
Weight	3kg

Notes :
Specifications are subject to change without notice.
Weight and dimensions are approximate.

■ ESPECIFICACIONES

Tipo	Sistema con 2 vias, 2 altavoces
Altavoces	Graves: 8 cm tipo cónico
	Agudos : 2,5 cm tipo cúpula
Impedancia	6 Ω
Capacidad de potencia	100 W (Músicales)
	50 W(DIN)
Nivel de presión acústica de salida	79 dB/W (1.0 m)
Frecuencia de cruce	2,.5 kHz
Respuesta de frecuencias	58Hz - 40kHz (-16 dB)
	68Hz - 36kHz (-10 dB)
Dimensiones (W x H x D)	136 x 223,5x 213 m
Peso	3kg

Nota:
Estas especificaciones están sujetas a cualquier cambio.
Peso y dimensiones son aproximados.

■ SPECIFICATIONS

Type	2-voies , 2-haut-parleurs
Haut-parleurs	Graves: 8 cm type a cone
	Aguis: 2,5 cm type dome
Impédance	6 Ω
Entrée maximale	100 W (Musique)
	50 W(DIN)
Niveau de pression sonore de sortie	79 dB/W (1.0 m)
Fréquence de conmutation	2,5 kHz
Gamme de fréquences	58Hz - 40kHz (-16 dB)
	68Hz - 36kHz (-10 dB)
Dimensions (W x H x D)	136 x 223,5 x 213 mm.
Poids	3kg

Notes :
Suject à changement sans preavis.
Poids et dimensions sont aproximatifs.

⚠ WARNING

This service information is designed for experiense repair technicians only and is not designed for use by the general public. It does not contain warnings or cautions to advise non-technical individuals of potential dangers in attempting to service a product. Products powered by electricity should be serviced or repaired only by experienced professional technicians. Any attempt to service or repair the product or products dealt with in this service information by anyone else could result in serious injury or death.

Technics®

© 1998 Panasonic Spain.
All rights reserved. Unauthorized copying and distribution is a violation of law.

■ CABINET PARTS LOCATION



■ PACKAGING


A4 A5 A6 A7
A3 x2
P2
A3 x2
A7 x4
A4 x2
A5 x4
A6 x4
P4
P4
A1 A2
P3
Technics
SB-M01
A1
A2
P1

■ REPLACEMENT PARTS LIST

Notes 1. Part numbers are indicated on most mechanical parts. Please use this part number for parts orders.
2. PAES indicates parts that are suplied by PAES.
Nota 1. El código está indicado en la mayoria de las piezas. Por favor use este codigo para sus pedidos.
2. La indicación PAES significa recambios suministrados a través de PAES.

Ref. No.	Part No.	Part Name & Description	Remarks
		CABINET AND CHASSIS	
1	SYMPM01M	CABINET ASS'Y	[PAES]
2	SYBPM01	NET FRAME ASS'Y	[PAES]
3	RKTM01	BASS REFLEX ASS'Y	[PAES]
4	RMG0500-T	ORNAMENT WOOFER	[PAES]
5	RGQ0250-T	ORNAMENT TWEETER	[PAES]
6	RMQ0832A	GASKET WOOFER	[PAES]
7	RMQ0832B	GASKET TWEETER	[PAES]
8	RMQ0833	GASKET BASS REFLEX	[PAES]
9	RGK1126-N	WOOFER RING	[PAES]
10	REJ0132	TERMINAL ASS'Y	[PAES]
11	RFAP0585-1	ABSORVER	[PAES]
12	RKA0072-K	LEGS	[PAES]
		SPEAKER (S)	
SP1	EAST8PL08A3	WOOFER	[PAES]
SP2	EAST25KH06A6	DOME TWEETER	[PAES]
		SCREW (S)	

Ref. No.	Part No.	Part Name & Description	Remarks
N1	XTN42+20	SCREW WOOFER	[PAES]
N2	XTC35+20FG	SCREW TWEETER	[PAES]
N2	XTC35+20FG	SCREW BASE TERMINAL	[PAES]
N3	XTC3+20FG	SCREW BASS REFLEX	[PAES]
		PACKING MATERIALS	
P1	SPGPM01	CARTON BOX	[PAES]
P2	SPSPM01CD	PAD UP	[PAES]
P3	SPSPM01AB	PAD DOWN	[PAES]
P4	SPHP35030	SHEET (60Cm)	[PAES]
A1	RQT4659-E	INSTRUCTION BOOK	[PAES]
A2	XZBA4	BAG	[PAES]
A3	RGG0156-N	AL STAND	[PAES]
A4	RGG0158B-N	INSYUREATER B (SHORT)	[PAES]
A5	RGG0158A-N	INSYUREATER A (LONG)	[PAES]
A6	RGG0157-N	INSYUREATER NUT	[PAES]
A7	XTS4+20FN	TRAS SCREW	[PAES]

■ SCHEMATIC DIAGRAM

This schematic diagram may be modified at any time with development of new technology.



PAES

Printed in Spain
A980707000XP